

1AP7 Rec'd PCT/PTO 14 JUN 2006

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q94636

Henrik Lysgaard SALOMON

Appln. No.: 10/595,516

Group Art Unit: Not Yet Known

Confirmation No.: 1942

Examiner: Not Yet Known

Filed: April 25, 2006

For: A VALVE FOR STERILE SAMPLING OF A LIQUID SAMPLE FROM A CONTAINER

SUBMISSION OF EXECUTED DECLARATION

MAIL STOP PCT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In view of the application filed on April 25, 2006 without the appropriate executed documents, and since Applicant's attorney has not yet received the "Notification of Missing Requirements Under 35 U.S.C. 371 in the United States Designated/Elected Office (DO/EO/US)," for the above application, Applicant submits herewith a copy of the Declaration for the above identified application properly executed by the inventors. Also enclosed please find Assignment.

A check for the statutory fee of \$130.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this paper is attached.

06/19/2006 HKAYPAGH 00000107 10595516

01 FC:1617

130.00 0P

SUGHRUE MION, PLLC

Telephone: (202) 293-7060


Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Respectfully submitted,



Brian W. Hanlon
Registration No. 32,778

Date: June 16, 2006